

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	84749	serial with (communication or transmit\$4 or receiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:40
S2	2992	S1 and start adj bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:26
S3	3633	S1 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S4	688	S3 and (start adj2 bit) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:29
S5	5	S4 and (error with (notification))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S6	2	S5 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S7	407	375/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S8	119	S7 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:52
S9	20	S8 and (error with (notification or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 12:53
S10	18	S9 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/04 07:39
S11	3	S10 and (edge adj detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:32
S12	0	S11 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/30 13:00

S13	407	375/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:37
S14	45	S13 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S15	43	S14 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:46
S16	5	S15 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:02
S17	1104	375/362.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:37
S18	6	S17 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:38
S19	6	S18 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:41
S20	1	S19 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:38
S21	343	370/305.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:44
S22	15	S21 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:42
S23	15	S22 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:42
S24	3	S23 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:42

S25	308	370/304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:44
S26	45	S14 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:44
S27	1	S25 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S28	806	370/449.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S29	10	S28 and start with (bit and level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:45
S30	9	S29 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:49
S31	1	S30 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:46
S32	19716	serial adj (communication\$1 or transceiver\$1 or receiv\$3 or transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 11:50
S33	1259	S32 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:01
S34	17	S33 and (bit adj2 level) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:02
S35	16	S34 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:02
S36	2	S35 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:05

S37	0	S36 and error with (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:05
S38	2	S36 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:05
S39	7202	uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S40	133	S39 and (start adj2 bit\$1) with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S41	30	S40 and error adj3 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S42	27	S41 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S43	4	S42 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S44	1390	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S45	4151	S44 and uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S46	111	S45 and (start adj2 bit\$1) with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:04
S47	23	S46 and error adj3 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:08
S48	27	S42 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:20

S49	4	S48 and (edge adj2 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 09:09
S50	1121	375/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S51	4152	S50 and uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:04
S52	4	S50 and (uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:05
S53	2	S52 and (error adj (detect\$3 or notificat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:36
S54	117	(mitsubishi adj2 danki).in. (kabushika adj2 kaisha).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S55	0	S54 and (uart or (universal adj2 asynchronous adj2 receiver\$1 adj3 transmitter))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:08
S56	0	S54 and (start adj2 bit\$1) with level\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:09
S57	4993	(renesas adj2 technology).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:09
S58	10	S57 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:18
S59	0	S58 and error adj2 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:10
S60	583	(start adj2 bit) and (maintain\$3 with level)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:18

S61	159	S60 and error adj2 (detect\$3 or notificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:19
S62	93	S61 and (uart or asynchronous)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:19
S63	23	S62 and edge adj detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:20
S64	20	S63 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 10:20
S65	11	failure with (detect\$3 and (start adj2 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:36
S66	8	S65 and @ad<="20010222"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/03 11:37
S67	2	(US-5592623-\$ or US-4225960-\$). did.	USPAT	OR	OFF	2005/01/03 11:45
S68	900	709/225.ccls.	USPAT	OR	OFF	2005/01/03 11:45
S69	0	S68 and (start adj2 bit) with (edge adj2 detect\$3)	USPAT	OR	OFF	2005/01/03 11:46
S70	5	S68 and (start adj2 bit)	USPAT	OR	OFF	2005/01/03 11:46
S71	0	S69 and error\$1	USPAT	OR	OFF	2005/01/03 11:47
S72	4	S70 and error\$1	USPAT	OR	OFF	2005/01/03 11:49
S73	19	failure with (stop adj bit\$1)	USPAT	OR	OFF	2005/01/03 11:53
S74	11	S73 and error adj (message\$1 or notificat\$3 or detect\$3)	USPAT	OR	OFF	2005/01/03 11:53
S75	11	S74 and @ad<="20010222"	USPAT	OR	OFF	2006/01/14 11:51
S76	19	failure with (start adj bit\$1)	USPAT	OR	OFF	2005/01/03 11:53
S77	6	S76 and error adj (message\$1 or notificat\$3 or detect\$3)	USPAT	OR	OFF	2005/01/03 11:53
S78	6	S77 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 11:55
S79	6051	uart or (asynchronous adj communication\$1)	USPAT	OR	OFF	2005/01/03 11:56
S80	39	S79 and (uart with (error with output\$1))	USPAT	OR	OFF	2005/01/03 11:56
S81	39	S80 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 12:27
S82	24	S81 and start adj2 bit	USPAT	OR	OFF	2005/01/03 12:54

S83	53	monitor\$3 with (bit adj2 level)	USPAT	OR	OFF	2005/01/03 12:55
S84	10	S63 and edge adj detect\$3	USPAT	OR	OFF	2005/01/03 12:55
S85	10	S84 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 12:56
S86	10	S85 and (uart or asynchronous)	USPAT	OR	OFF	2005/01/03 13:17
S87	13	(start adj bit) with ((bit adj2 level) with detect\$3)	USPAT	OR	OFF	2005/01/03 13:20
S88	2	(start adj bit) with ((bit adj2 level) adj detect\$3)	USPAT	OR	OFF	2005/01/03 13:18
S89	0	S87 and bit adj detection adj error	USPAT	OR	OFF	2005/01/03 13:22
S90	0	(start adj bit) with (bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:23
S91	1	(start adj bit) and (bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:24
S92	0	(start adj bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:24
S93	0	(start adj2 bit adj detection adj error)	USPAT	OR	OFF	2005/01/03 13:24
S94	0	(start adj2 bit adj detect\$3 adj error)	USPAT	OR	OFF	2005/01/03 13:25
S95	41	serial adj data with (interrupt adj request)	USPAT	OR	OFF	2005/01/03 13:25
S96	40	S95 and @ad<="20010222"	USPAT	OR	OFF	2005/01/03 13:26
S97	12	S96 and start adj2 bit	USPAT	OR	OFF	2005/01/03 13:27
S98	0	S97 and bit adj level	USPAT	OR	OFF	2005/01/03 13:26
S99	8	"5787132".pn. "6,167078".pn. "6301297".pn. "5623522".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/04 07:40
S10 0	4	(US-6301297-\$ or US-6167078-\$ or US-5787132-\$ or US-5623522-\$).did.	USPAT	OR	OFF	2005/01/04 08:32
S10 1	0	(start adj2 bit) with (error and cpu and (interrupt adj request))	USPAT	OR	OFF	2005/01/04 08:34
S10 2	220	(start adj2 bit) and (error and cpu and (interrupt adj request))	USPAT	OR	OFF	2005/01/04 08:34
S10 3	217	S102 and @ad<="20010222"	USPAT	OR	OFF	2005/01/04 08:34
S10 4	149	S103 and (uart or asynchronous)	USPAT	OR	OFF	2005/01/04 08:35
S10 5	23	S104 and (edge adj2 detect\$3)	USPAT	OR	OFF	2005/01/04 08:35

S10 6	9	(US-6816544-\$ or US-6112275-\$ or US-6067318-\$ or US-5805909-\$ or US-5761697-\$ or US-5729573-\$ or US-5644593-\$ or US-4679191-\$ or US-4477847-\$).did.	USPAT	OR	OFF	2005/01/04 08:59
S10 7	43747	uart or asynchronous	USPAT	OR	OFF	2005/01/04 08:59
S10 8	6	S107 and ((start adj bit) with error) and ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:22
S10 9	0	S107 and ((start adj bit) with error) with ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:17
S11 0	0	S107 and ((start adj bit) with detect\$3) with ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:18
S11 1	21	S107 and ((start adj bit) with detect\$3) and ((halt\$3 or interrupt\$3) adj transmission)	USPAT	OR	OFF	2005/01/04 09:18
S11 2	20	S111 and @ad<="20010222"	USPAT	OR	OFF	2005/01/04 10:39
S11 3	62	S107 and ((halt\$3 or interrupt\$3) adj (transmission or transmtting or receiv\$3 or reception)) with error	USPAT	OR	OFF	2005/01/04 09:23
S11 4	62	S113 and @ad<="20010222"	USPAT	OR	OFF	2005/01/04 09:24
S11 5	2	S114 and ((start adj2 bit) with detect\$3)	USPAT	OR	OFF	2005/01/04 09:26
S11 6	4	S114 and ((start adj2 bit) and detect\$3)	USPAT	OR	OFF	2005/01/04 09:26
S11 7	1	"4748643".pn.	USPAT	OR	OFF	2005/01/04 10:39
S11 8	2	"4748643".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:12
S11 9	408	375/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:24
S12 0	4	S119 and (start adj bit) near (trailing adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:25
S12 1	1	S120 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:24

S12 2	1432	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:24
S12 3	1	S122 and (start adj bit) near (trailing adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:25
S12 4	343	370/305.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:25
S12 5	1	S124 and (start adj bit) near (trailing adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:25
S12 6	29	(start adj bit) near (trailing adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:26
S12 7	1	S126 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:31
S12 8	2757	714/718.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:25
S12 9	10	S128 and start adj bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:31
S13 0	1	S129 and trailing adj edge	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 16:32
S13 1	82	714/818.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:25
S13 2	0	S131 and (start adj bit) near (trailing adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:27
S13 3	0	S131 and (start adj bit) near edge	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:27

S13 4	343	370/305.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:27
S13 5	1	S134 and (start adj bit) near (trailing adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/11 17:27
S13 6	61	714/699.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28
S13 7	6	S136 and (start or synchronization or sync) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28
S13 8	0	S137 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:27
S13 9	128	714/709.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:26
S14 0	17	S139 and (start or synchronization or sync) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:27
S14 1	1	S140 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28
S14 2	255	714/731.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28
S14 3	16	S142 and (start or synchronization or sync) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28
S14 4	0	S143 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28
S14 5	222	714/744.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:28

S14 6	24	S145 and (start or synchronization or sync) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S14 7	1	S146 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S14 8	697	714/755.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S14 9	101	S148 and (start or synchronization or sync) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S15 0	0	S149 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S15 1	99	714/789.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S15 2	57	S151 and (start or synchronization or sync) with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:29
S15 3	0	S152 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:30
S15 4	0	710/818.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:30
S15 5	2	"5663729".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/23 12:19
S15 6	4	"4748643".pn. "5636343".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/23 12:20
S15 7	3	(US-5636343-\$ or US-4748643-\$ or US-5663729-\$).did.	USPAT	OR	OFF	2005/05/23 12:21
S15 8	1	S157 and edge	USPAT	OR	OFF	2005/05/23 12:21

S15 9	2	"5663729".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/23 13:04
S16 0	408	375/369.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:23
S16 1	10	S160 and bit adj level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:24
S16 2	0	S161 and "20011116"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:24
S16 3	10	S161 and (@ad<="20011116" or @pd<="20011116")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:47
S16 4	527	start adj bit with detection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 11:29
S16 5	476	S164 and (@ad<="20011116" or @pd<="20011116")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:52
S16 6	527	S164 S165 and bit with level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:48
S16 7	176	S166 and error with (detect\$3 or noiticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:48
S16 8	31	S166 and S167 and predetermined with level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:49
S16 9	31	S167 and predetermined with level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 10:49
S17 0	27	S169 and (@ad<="20011116" or @pd<="20011116")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:38

S17 1	18	start adj bit with edge adj detection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 11:30
S17 2	17	S171 and (@ad<="20011116" or @pd<="20011116")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 11:30
S17 3	9	S172 and (trailing or lagging or leading)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:37
S17 4	11	start adj bit with (interrupt adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:41
S17 5	11	S174 and (@ad<="20011116" or @pd<="20011116")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:41
S17 6	22	start adj bit with error and (interrupt adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:41
S17 7	22	S176 and (@ad<="20011116" or @pd<="20011116")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:49
S17 8	3	((start adj bit) with (detect\$3 and error\$1)) with (interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:52
S17 9	2	(false adj start adj bit) with (detect\$3 and interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/20 13:53
S18 0	24	sagawa adj akihiko.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 16:19
S18 1	2	S180 and serial adj data adj transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 16:19
S18 2	37	start adj bit adj1 detect\$3 and (trailing adj1 edge or falling adj1 edge) and (pattern or sequence or template) and (comparator)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 17:52

S18 3	2	"5623522".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 17:41
S18 4	2	"5263054".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 17:43
S18 5	2	"5861925".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/22 17:43
S18 6	36	S182 and (@ad<="20010222" or @pd<="20010222")	USPAT	OR	OFF	2005/06/22 17:54
S18 7	0	S182 and (@ad<="2001022" or @pd<="2001022")	USPAT	OR	OFF	2005/06/22 17:54
S18 8	36	S182 and (@ad<="20010222" or @pd<="20010222")	USPAT	OR	OFF	2005/06/22 17:54
S18 9	8	"5861925".pn. "5623522".pn. "5263054".pn. "6381287".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/23 14:32
S19 0	4	(US-5861925-\$ or US-6381287-\$ or US-5623522-\$ or US-5263054-\$).did.	USPAT	OR	OFF	2005/06/23 14:39
S19 1	1866	start adj1 bit and (detect\$3 with (level\$1 or sequence\$1 or pattern\$ or template))	USPAT	OR	OFF	2005/06/23 14:43
S19 2	152	start adj1 bit with (detect\$3 with (level\$1 or sequence\$1 or pattern\$ or template))	USPAT	OR	OFF	2005/06/23 14:43
S19 3	143	S192 and (@ad<="20010222" or @pd<="20010222")	USPAT	OR	OFF	2005/06/23 14:44
S19 4	11	S193 and edge adj1 detect\$3	USPAT	OR	OFF	2005/06/23 14:44
S19 5	4	(US-5263054-\$ or US-5623522-\$ or US-5861925-\$ or US-6381287-\$).did.	USPAT	OR	OFF	2005/06/24 10:20
S19 6	22	(trail\$3 or lag\$4) near edge\$2 and bit near2 level near2 detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:41
S19 7	21	S196 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:48

S19 8	0	(trail\$3 or lag\$4) near2 (edge\$2 and bit near2 level near2 detect\$3) near2 (start near2 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:41
S19 9	0	(trail\$3 or lag\$4) near2 (edge\$2 and bit near2 level near2 detect\$3) and (start near2 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:41
S20 0	7	S197 and start adj2 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:48
S20 1	18	start adj2 bit\$1 near2 level near detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:48
S20 2	15	S201 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/08 15:48
S20 3	4	(US-5263054-\$ or US-5623522-\$ or US-5861925-\$ or US-6381287-\$).did.	USPAT	OR	OFF	2006/01/10 17:04
S20 4	445	start adj1 bit with level	USPAT	OR	OFF	2006/01/10 17:05
S20 5	428	S204 and (@ad<="20010222" or @pd<="20010222")	USPAT	OR	OFF	2006/01/10 17:06
S20 6	174	(start adj1 bit) with ((detect\$3 or inspect\$3) and level)	USPAT	OR	OFF	2006/01/10 17:06
S20 7	162	S206 and (@ad<="20010222" or @pd<="20010222")	USPAT	OR	OFF	2006/01/10 17:06
S20 8	0	S207 and predetermined with (bit adj1 level)	USPAT	OR	OFF	2006/01/10 17:07
S20 9	75	S207 and error with (detect\$3 or nification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:08
S21 0	75	S207 and error with (detect\$3 or notification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:08
S21 1	776584	mitsubishi.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:40

S21 2	55	S211 and start adj1 bit with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:41
S21 3	2	S212 and bit adj1 level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:49
S21 4	4	bit adj1 level with (predetermined adj1 (threshold\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:55
S21 5	0	bit adj1 level near2 (predetermined adj1 (threshold\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:14
S21 6	326	bit near2 (predetermined adj1 (threshold\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 14:56
S21 7	181	bit near2 (predetermined adj1 level\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:13
S21 8	11	error\$1 with (bit near2 (predetermined adj1 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:02
S21 9	1	714/780.ccls. and error\$1 with (bit near2 (predetermined adj1 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:12
S22 0	3	("4519080" "4763331" "5432822").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 15:02
S22 1	0	375/340.ccls. and error\$1 with (bit near2 (predetermined adj1 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:13
S22 2	0	375/369.ccls. and error\$1 with (bit near2 (predetermined adj1 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:13
S22 3	0	375/369.ccls. and error\$1 with (bit\$1 near2 (predetermined adj1 level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:13

S22 4	0	375/340.ccls. and bit near2 (predetermined adj1 level\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:13
S22 5	5	375/340.ccls. and bit near2 (predetermined adj1 (threshold\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:14
S22 6	0	375/369.ccls. and bit near2 (predetermined adj1 (threshold\$1 or level\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:14
S22 7	4	"5623532".pn. "5263054".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:01
S22 8	4	"5623522".pn. "5263054".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:02
S22 9	4	"4748643".pn. "5636343".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:32
S23 0	706	(monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or width or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:57
S23 1	447	S230 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:59
S23 2	153	S231 and bit with detect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:42
S23 3	11	S232 and start adj1 bit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:58
S23 4	4	(US-5263054-\$ or US-5623522-\$ or US-5861925-\$ or US-6381287-\$).did.	USPAT	OR	OFF	2006/01/13 14:44
S23 5	438	(monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:58

S23 6	7295	start adj1 bit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 14:58
S23 7	8	S236 and (monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:04
S23 8	5	S237 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/13 15:13
S23 9	13	start adj1 bit with ((predetermined or determin\$3) near (level or height))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:07
S24 0	12	S239 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 11:50
S24 1	5	(start adj1 bit) with (error and cpu and (int or interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 11:58
S24 2	4	S241 and (@ad<="20010222" or @pd<="20010222")	USPAT	OR	OFF	2006/01/14 11:52
S24 3	0	(start adj1 bit) near2 (error and cpu and (int or interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:03
S24 4	0	714/23.ccls. and (start adj1 bit) near2 (error and cpu and (int or interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:03
S24 5	1	714/23.ccls. and (start adj1 bit) with (error and cpu and (int or interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:04
S24 6	265	714/23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:04
S24 7	338	714/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:05
S24 8	0	S246 and (monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:06

S24 9	0	S247 and (monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:04
S25 0	815	341/122-123.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:06
S25 1	200	341/162.ccls..	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:06
S25 2	1	S250 and (monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:06
S25 3	0	S251 and (monitor\$3 or determin\$3 or check\$3) near2 ((bit\$1) near (level\$1 or threshold\$1 or height or peak\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:06
S25 4	1	S250 and start adj1 bit with ((predetermined or determin\$3) near (level or height))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:07
S25 5	1	S251 and start adj1 bit with ((predetermined or determin\$3) near (level or height))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/14 12:07
S25 6	2	(start adj2 bit) near2 ((cpu or processor) and (interrupt or int))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:24
S25 7	30	(start adj2 bit) and ((cpu or processor) near2 (error with (interrupt or int)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:42
S25 8	3	S257 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:45

S25 9	93	start adj1 bit with detect\$3 and (error with (interrupt or int))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:45
S26 0	86	S259 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:03
S26 1	78	S260 and (cpu or processor or dsp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:01
S26 2	2	communication adj2 error with ((start adj1 bit) with detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:03
S26 3	152	error\$1 with ((start adj1 bit) with detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:03
S26 4	133	S263 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:16
S26 5	0	S264 and erroor with (cpu and (int or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:04
S26 6	2	S264 and error with (cpu and (int or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:10
S26 7	2	(US-4719458-\$ or US-6765972-\$). did.	USPAT	OR	OFF	2006/01/17 12:07

S26 8	0	"718""."820".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:09
S26 9	0	718/820.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:09
S27 0	434	714/820.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:11
S27 1	3	S270 and error with (cpu and (int or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:11
S27 2	614	714/819.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:11
S27 3	3	S272 and error with (cpu and (int or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:12
S27 4	5	714/712 and error with (cpu and (int or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:12
S27 5	2	714/712.ccls. and error with (cpu and (int or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:13

S27 6	2	S275 and start adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:15
S27 7	2047	start adj1 bit and (detect\$3 with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:16
S27 8	137	start adj1 bit with (detect\$3 with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:16
S27 9	119	S278 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:39
S28 0	77	S279 and (reception or receiv\$3) with (transmitting or transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 12:17
S28 1	28	S280 and (int or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:37
S28 2	2991	serial adj2 (data or communication\$1) and start adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 13:41
S28 3	418	S282 and detect\$3 adj2 start adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:34

S28 4	2	detect\$3 adj2 start adj1 bit adj2 error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:38
S28 5	0	S284 and error with (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:37
S28 6	27	S280 and (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:37
S28 7	46	detect\$3 adj2 start adj1 bit and (error with (irq or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:38
S28 8	43	S287 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:56
S28 9	2	"5663729".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:54
S29 0	3226	341/155.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:54
S29 1	0	S290 and start adj1 bit and error with (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:55

S29 2	0	341/122-123.ccls. and start adj1 bit and error with (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:55
S29 3	204	(cpu or processor) near2 (error with (irq or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:55
S29 4	1	S293 and start adj1 bit with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:56
S29 5	27	S293 and start adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:02
S29 6	0	S295 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:02
S29 7	847	uart and start adj1 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:02
S29 8	655	S297 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:37
S29 9	80	S298 and error with (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:32

S30 0	204	start adj1 bit with (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:33
S30 1	6	((start adj1 bit) adj2 (detection or detecting or recognizing) with (irq or interrupt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:36
S30 2	1383	(transmission and reception) with (irq or interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:36
S30 3	0	S302 and start adj 1bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:37
S30 4	93	S302 and start adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:37
S30 5	80	S304 and (@ad<="20010222" or @pd<="20010222")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:37
S30 6	12	S305 and detect\$3 adj1 error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:37